


Double row cylindrical roller bearings aligning ring



cylindrical roller bearing :IS09001 :2000 Approved.

High precision, low noise.

We can make bearing products according to your drawing.

Description:

The roller of the [cylindrical roller bearing](#) is in line contact with the raceway, so the bearing can bear heavier radial load.

Applications are found in situations characterizes by heavy load and shock load, and also by high-speed rotation. These bearings are separable bearings, and convenient to be mounted and dismounted. They are designed as types of single, double and multiple rows among which the single row cylindrical roller [bearings](#) are most applicable.

Normally these bearings can accommodate radial load only, none but single row bearings with ribs both on inner and outer rings can carry lighter constant axial load.

Contact email: xp070312@163.com

1. Precision Level :P0, P6,
2. Sealing Form :ZZ, 2RS
3. Material :GCR15, etc.
4. Package : export packing or according to customer's requirement.
5. Delivery time: within 30 workings days after receipt of deposit money.
6. Quality Standard :IS09001:2000. OEM is available.
7. Model Number :

Model number		
OLD	NEW	Weight/kg
2206	N206	0.220
2206	N206	0.220
2207KM	N207	0.344
2207KM	N207	0.344
2209	N209	0.523
2212	N212	0.870
2212	N212	0.870
2220	N220	3.450
2224	N224	6.320
2224	N224	6.320
2226	N226	7.090
2226	N226	7.090
70-2228	N228/C3	9.350
2234KM	N234	17.100
2234KM	N234	17.100
2307	N307	0.562
2307	N307	0.562

2310	N310	1.150
2310	N310	1.150
2311	N311	1.530
2312	N312	1.860
2314	N314	2.730
2315KM	N315	3.490
2316KM	N316	4.100
2316KM	N316	3.900
2317	N317	5.250
2318	N318E	5.460
2318	N318	6.170
2320	N320	8.240
2322M	N322M	11.700
2322	N322	11.700
2612	N2312	3.600
2612	N2312	3.600
2614KM	N2314	4.400
2614KM	N2314	4.400
12115EM	N1015N	
12115EM	N1015N	
12207	NF207	0.344
12208	NF208	0.400
12210	NF210	0.587
12210	NF210	0.587
12212	NF212	0.950
12212	NF212	0.950
12309KM	NF309	0.930
12310	NF310	1.200
12311	NF311	1.540
12311	NF311	1.540
12312KM	NF312	2.070
32208KM	NU208	0.350
32213	NU213	0.990
32213	NU213	0.990
32308	NU308	0.760
32308	NU308E	0.760
32311	NU311	1.590
32312	NU312E	1.940
32315	NU315	3.800
32605	NU2305	0.360
32605	NU2305	0.360
42205E	NJ205N	0.165
42205	NJ206N	0.165
42207	NJ207	0.344
42207	NJ207	0.344
42209	NJ209	0.520

42210KM	NJ210	0.587
42211KM	NJ211	0.690
42211	NJ211	0.690
42212	NJ212	0.900
42212	NJ212	0.900
42215	NJ215	1.400
42218	NJ218	2.720
42305E	NJ305N	0.201
42308	NJ308	0.726
42309	NJ309	1.040
42312	NJ312	1.900
42312	NJ312EC	1.980
42313JI	NJ313M	2.530
42314	NJ314	3.090
42314	NJ314	3.090
42415KM	NJ415	7.260
42415KM	NJ415	7.260
42612	NJ2312	3.390
42612	NJ2312	3.390
42616	NJ2316	6.590
42616	NJ2316	6.590
102206	NCL206V	0.396
102206	UM-1206-B	0.396
102210	NCL210V	
102211	NCL211V	
102211	NCL211V	
102304	NCL304V	
102304	NCL304V	
102308	NCL308V	0.693
102313M	NCL313V	2.400
102409	NCL409V	
102409	NCL409V	
292208KM	RNU208	
32134JI	NU1034M	8.200
32134JI	NU1034MA	8.040
32144M	NU1044M	19.000
692409	NUP409NR	2.050
692409	NUP409NR	2.050
2505	N2205	0.150
102605M		
592708M1		
962715XC17		
592708		

cylindrical roller bearing :IS09001 :2000 Approved.

High precision, low noise.

We can make bearing products according to your drawing.

Description:

The roller of the [cylindrical roller bearing](#) is in line contact with the raceway, so the bearing can bear heavier radial load.

Applications are found in situations characterized by heavy load and shock load, and also by high-speed rotation. These bearings are separable bearings, and convenient to be mounted and dismounted. They are designed as types of single, double and multiple rows among which the single row cylindrical roller [bearings](#) are most applicable.

Normally these bearings can accommodate radial load only, none but single row bearings with ribs both on inner and outer rings can carry lighter constant axial load.

Contact email: xp070312@163.com

1. Precision Level :P0, P6,
2. Sealing Form :ZZ, 2RS
3. Material :GCR15, etc.
4. Package : export packing or according to customer's requirement.
5. Delivery time: within 30 working days after receipt of deposit money.
6. Quality Standard :IS09001:2000. OEM is available.
7. Model Number :

Model number		
OLD	NEW	Weight/kg
2206	N206	0.220
2206	N206	0.220
2207KM	N207	0.344
2207KM	N207	0.344
2209	N209	0.523
2212	N212	0.870
2212	N212	0.870
2220	N220	3.450
2224	N224	6.320
2224	N224	6.320
2226	N226	7.090
2226	N226	7.090

70-2228	N228/C3	9.350
2234KM	N234	17.100
2234KM	N234	17.100
2307	N307	0.562
2307	N307	0.562
2310	N310	1.150
2310	N310	1.150
2311	N311	1.530
2312	N312	1.860
2314	N314	2.730
2315KM	N315	3.490
2316KM	N316	4.100
2316KM	N316	3.900
2317	N317	5.250
2318	N318E	5.460
2318	N318	6.170
2320	N320	8.240
2322M	N322M	11.700
2322	N322	11.700
2612	N2312	3.600
2612	N2312	3.600
2614KM	N2314	4.400
2614KM	N2314	4.400
12115EM	N1015N	
12115EM	N1015N	
12207	NF207	0.344
12208	NF208	0.400
12210	NF210	0.587
12210	NF210	0.587
12212	NF212	0.950
12212	NF212	0.950
12309KM	NF309	0.930
12310	NF310	1.200
12311	NF311	1.540
12311	NF311	1.540
12312KM	NF312	2.070
32208KM	NU208	0.350
32213	NU213	0.990
32213	NU213	0.990
32308	NU308	0.760
32308	NU308E	0.760
32311	NU311	1.590
32312	NU312E	1.940
32315	NU315	3.800
32605	NU2305	0.360
32605	NU2305	0.360

42205E	NJ205N	0.165
42205	NJ206N	0.165
42207	NJ207	0.344
42207	NJ207	0.344
42209	NJ209	0.520
42210KM	NJ210	0.587
42211KM	NJ211	0.690
42211	NJ211	0.690
42212	NJ212	0.900
42212	NJ212	0.900
42215	NJ215	1.400
42218	NJ218	2.720
42305E	NJ305N	0.201
42308	NJ308	0.726
42309	NJ309	1.040
42312	NJ312	1.900
42312	NJ312EC	1.980
42313JI	NJ313M	2.530
42314	NJ314	3.090
42314	NJ314	3.090
42415KM	NJ415	7.260
42415KM	NJ415	7.260
42612	NJ2312	3.390
42612	NJ2312	3.390
42616	NJ2316	6.590
42616	NJ2316	6.590
102206	NCL206V	0.396
102206	UM-1206-B	0.396
102210	NCL210V	
102211	NCL211V	
102211	NCL211V	
102304	NCL304V	
102304	NCL304V	
102308	NCL308V	0.693
102313M	NCL313V	2.400
102409	NCL409V	
102409	NCL409V	
292208KM	RNU208	
32134JI	NU1034M	8.200
32134JI	NU1034MA	8.040
32144M	NU1044M	19.000
692409	NUP409NR	2.050
692409	NUP409NR	2.050
2505	N2205	0.150
102605M		

592708M1		
962715XC17		
592708		

Related Keywords: [Cylindrical Roller Bearings](#) [Double Row Cylindrical Roller Bearings](#)

Email: asiabearings@gmail.com

Web: <http://www.asiabearings.com/>