


High precision Carbon Steel

Angular Contact Ball Bearing 7332

AC

Structure: Angular Contact	Type: Ball	Brand Name: FAG, IKO, INA, KOYO, NACHI, NSK, NT...
Bore Size: 10 - 1700 mm	Outside Diameter: 30 - 1900 mm	Model Number: 70xx, 30xx, non- standard series
Precision Rating: P0, P3, P4, P5, P6	Seals Type: open, Z, ZZ, RS, 2RS., etc.	Number of Row: Single Row
Place of Origin: China (Mainland)	PRICE: FOB USD1-10000	CAGE: Steel, Brass, Nylon
TYPE: single- row angular, three-point,	HS CODE: 8482103000	MATERIAL: bearing steel (Gcr15), carb on steel, st...
Model Number: 70xx, 30xx, non- standard series,	BRAND: TRMT, SKF, FAG, TIMKEN, INA, NSK, IKO, NACHI KO...	

	<p>Packaging & Delivery: Packaging Detail: 1. standard export packing (carton, wooden box, pipe packing) 2. also pack as customer's request. Delivery Detail: 3-15 days after receipt of advanced payment</p>
---	--

Specifications:

1. [Angular Contact Ball Bearing](#)
2. High temperature, high speed
3. Genuine goods at a fair price
4. Vast inventory, delivery in time

Angular Contact Ball Bearing

<1>Dimension

<2>Speed Ratings

<3>Weight

d:10-1700 mm 160-30000 r/min
1-1600kg
D:30-1900mm
H:9-218mm

<4>Others

Material:bearing steel,chrome steel, stainless steel

Designs includes:

- Includes three large categories: single-row angular, three-point, four-point and double-row angular contact
- Single-row angular ball [bearings](#) accommodate radial loads, acting simultaneously with relative great axial load in one direction
- For axial load accommodation in both directions and bearings are arranged in pairs
- Series: 70xx, 72xx, 73xx, 74xx, 79xx, 30xx, 32xx, 33xx, 38xx, 39xx, non-standard series and inch series
- Contact angle classified as C (15-degree), AC (25-degree) and B (40-degree)
- Mounting ways have DT tandem, DF face-to-face, DB back-to-back, TBT two tandem and back-to-back, G universal
- Requires significantly less space in an axial direction than double-row designs
- Double-row angular contact [ball bearings](#) principally correspond to matched pair of single-row [angular contact ball bearings](#)
- Nylon 66 cage, but pressed steel cage can be supplied for some types

Application:

- mine machine, port hoisting machine, port transfer equipment, on shore and offshore crane, excavator, concrete machine, paper machine, plastic and rubber machine, weave machine, steel plant, electronic power plant, wind power generation, other construction and industry machines or equipment.

- Main market abroad:the Middle East ,Africa, European, South America and Asia.

•

Notes: We can offer you more choices just if you kindly give us chance to quote

(As old sayings-Buyer want more choice and Seller want more buyers)

We have ourself brand ''TRMT'' and we also are the authorized distributor for

SKF, FAG, TIMKEN, INA, NSK, IKO, NACHI, KOYO, ASAHI, we can offer

C/O

Related Keywords: [Carbon Steel Angular Contact Ball Bearing](#) [Double Rows Angular Contact Ball Bearing](#)

Email: asiabearings@gmail.com

Homepage: <http://www.asiabearings.com>